

2250-51-55 / 4250-51-55


RAISED PANEL PAN DOOR

The model doc schilolis in Control of the model document of the

MODEL 2250	Short Panel, Uninsulated
MODEL 2251	Short Panel, 1-3/8" Insulated
MODEL 2255	Short Panel, 9/16" Insulated
MODEL 4250	Long Panel, Uninsulated
MODEL 4251	Long Panel, 1-3/8" Insulated
MODEL 4255	Long Panel, 9/16" Insulated

- Door sections are formed from heavy, 25-gauge galvanized draw quality steel
- Section joints are roll-formed into a tongue-and-groove design which produces a superior weather seal
- Inside stiles are made of galvanized steel and stile holes are "dimpled" for increased holding power
- Bottom weather seal utilizes an aluminum retainer and extruded virgin vinyl
- Extra heavy paint system² in your choice of white, almond, sandstone or brown
- Optional Appearance Package³ upgrade available
- Hinges are stamped from galvanized steel in a "wide body" pattern for greater stability and longer life
- Models 2251/4251 include 1-3/8" polystyrene insulation with a vinyl back cover
- Models 2255/4255 include 9/16" polystyrene insulation with a vinyl back cover
- Models 2251/4251 DASMA TDS-163 Calculated R-value': 6.62
 Models 2255/4255 DASMA TDS-163 Calculated R-value': 3.21

For additional information, please see numbered footnotes on backside.




elegant look of wood with a deeply-embossed, distinctive panel design. It has the appearance of our top-of-the-line models, yet remains economical and efficient – making it one of our most popular models. Available in four designer colors, these durable steel doors complement the look of almost any home.



WINDOW & GLASS OPTIONS

Add a touch of elegance to the outside of your home with the addition of decorative window & glass options from C.H.I. Our glass options are designed to enhance the natural beauty of your exterior while adding to the value of your home.







FOOTNOTES

N O

E C T I

S

8

0

0

1. Calculated door section R-value is in accordance with DASMA TDS-163. 2. Extra heavy paint system consists of .25 mil. primer with rust inhibitor and a .75 mil. coating of baked-on polyester paint. 3. Appearance Packages are standard white, custom colors are available at an extra charge. 4. All designer lites are either transparent or semi-transparent. For all available window options, please see our Glass Option Brochure, or visit your C.H.I. Overhead Doors Distributor. 5. Refer to samples at your local C.H.I. Overhead Doors Distributor for exact color match.



All information presented is based on the specifications and features available at the time of printing and is subject to change without notice.







DOOR CONSTRUCTION

Each model utilizes a 25 gauge exterior steel skin. Chosen for their weather resistant features, models (1) 2251/4251 utilize a 1-3/8" thick polystyrene insulation, while models (2) 2255/4255 employ a 9/16" thick polystyrene insulation with vinyl back covers.

2251/4251.....R value¹ - 6.62 2255/4255......R value¹ - 3.21

WINDBREAKER SERIES

Wind can be unpredictable and destructive, which is why we developed our super-resilient Windbreaker Series. Windchamber-tested for increased wind-load resistance, this extra-sturdy series provides enhanced defense against the elements.